


Balluff Demo Program Update



Balluff Sensors Solutions Toolkit Demo Tools









Balluff Sensors Solutions Toolkit








Sensor Solutions Toolkit

- Balluff part #
 - Demo Kit Sensor Solutions
- Balluff article #
 - 154586
- Sensor Solutions Toolkit contains:
 - Soft Side Carry Case
 - Large Transport Case
 - Tripod Demo Clamp Arm
 - Analog Tester/Programmer & Power Supply
 - 2 pc High Power Sensor Testers
 - Demo Kits
 - Basic Linear Measurement
 - Standard Limit BNS
 - Cylinder Solutions Sampler
 - Connectivity
 - Standard Inductive
 - Mini Inductive
 - Photoelectric Standard

June 22, 2011














Sensor Solutions Toolkit Layout

Tripod B0143 Magic Arm **DEMO KIT BES DEMO KIT BES MINI TUBE / BLOCK DEMO KIT CYLINDER SOLUTIONS SAMPLER DEMO KIT BOS / BMOA / BFO** DEMO KIT C04/C49/C75/CM/R04/BKS DEMO KIT BNS/BNL/BNN/BEN/BNP **DEMO KIT BTL5/BTL6/BIW1/BIL**






TRANSPORT CASE 24.81x19.37x13.87

June 22, 2011

CARRY CASE 22x9x12





Individual Demo Kits









Individual Demo Kits

- Basic Linear Measurement *
- Standard Limit BNS *
- Cylinder Solutions Sampler *
- Connectivity *
- Standard Inductive *
- Mini Inductive *
- Photoelectric Standard *

- BMS Mounting System Sampler
- Weld Select Series
- BVS Vision (Sharp Shooter)
- RFID Parallel
- RFID Ethernet I/P
- Hi Power Remote
- Sales Demo
- Global Prox
- GlobalProx/Global Demo
- GlobalProx Pocket Demo
- SteelFace 2X Pocket Demo
- BCS/SIE Capacitive
- BCS SmartLevel
- DeviceNet/Profibus

These can be ordered individually to build or upgrade own demo case

* = Included with the Sensor Solutions Toolkit





Basic Linear Measurement

- Balluff part #
 - Demo Kit BTL5/BTL6/BIW1/BIL
- Balluff article #
 - 154577









Standard Limit BNS

- Balluff part #
 - Demo Kit BNS/BNL/BNN/BEN/BNP
- Balluff article #
 - 154581










Cylinder Solutions Sampler

- Balluff part #
 - Demo Kit Cylinder Solutions Sampler
- Balluff article #
 - -153410









Connectivity

- Balluff part #
 - Demo Kit C04/C49/C75/CM/R04/BKS
- Balluff article #
 - -154579









Standard Inductive

- Balluff part #
 - Demo Kit BES / BCS
- Balluff article #
 - 181322









Mini Inductive

- Balluff part #
 - Demo Kit BES MINI TUBE / BLOCK
- Balluff article #
 - 154578









Photoelectric Standard

- Balluff part #
 - Demo Kit BOS / BMOA / BFO
- Balluff article #
 - -154580









BMS Mounting System Sampler

- Balluff part #
 - Demo Kit BMS MOUNTING SYSTEM
- Balluff article #
 - 154785










Weld Select Series

- Balluff part #
 - DEMO-KIT Weld Select Series
- Balluff article #
 - 156914







BVS Vision System (Sharp Shooter)

- Balluff part #
 - DEMO-KIT BMS/BVS VISION SYSTEM
- Balluff article #
 - 158274



Vision

June 22, 2011



BALLUFF

RFID Parallel Demo Kit

- Balluff part #
 - DEMO-KIT BIS C-60R
- Balluff article #
 - 164413









RFID Ethernet I/P Demo

- Balluff part #
 - DEMO-KIT BIS RFID Ethernet/IP
- Balluff article #
 - 163686







Hi Power Remote Demo

- Balluff part #
 - **DEMO-CASE RHP-UAB02**

Input Signals Output Signals Sensor Heads

←→ Signal Flow


PLC ← Remote

switches directly into

directly from PLC

IP67 rating for harsh

- Balluff article #
 - 163929



BALLUFF

Connect up to four PNP/

NPN sensors or mechanical switches

Connect up to four control units (Solenoid valves, relay, small motor, etc.)

Self-contained unit with IP67 rating for harsh

environments (welding,

CNC machining, etc.)

4+4 Bidirectional

Hi Power Remote

June 22, 2011

4 input/4 output signals and 300 mA 24 Vdc power through the air



Sales Demo Kit

- Balluff part #
 - DEMO-KIT SALES-03
- Balluff article #
 - 163176













BES Globalprox Pocket Demo Pouch

- Balluff part #
 - DEMO-KIT BES GLOBALPROX
- Balluff article #
 - 163383

Pocket Demo Pouch





June 22, 2011





BES SteelFace 2X Pocket Demo Pouch

- Balluff part #
 - DEMO-KIT BES STEELFACE 2X
- Balluff article #
 - 179057

Pocket Demo Pouch



June 22, 2011



BALLUFF

BCS/SIE Capacitive Demo Case

- Balluff part #
 - DEMO-KIT BCS/SIE
- Balluff article #
 - 163835







BALLUFF

sensors worldwide

BCS SmartLEVEL Demo Case

- Balluff part #
 - DEMO-KIT BCS SMARTLEVEL
- Balluff article #
 - 181502

SMARTLevel www.balluff.com/smartlevel

SMART/ evel

- Level detection sensor for water based liquids
- Adjustment free
- Non-invasive sensing through up to 12 mm of glass/plastic wall
- Compensation for foaming, moisture and material build-up



sensors worldwide



Water DI Water Acid Cleaning agent Cooling fluid Food Body fluids Waste water

Attention: SMARTLevel sensors are not suitable for oil and other nonconductive liquids.

Best choice for NON conductive liquids, and bulk solids: BCS006H

260F temperature rated 145 psi pressure rated

3/8" NPT or M18 PTFE / SS304 / Al



1. Standard



up to 12 mm thick wall "

2. Foam



and material build-up "

3. Build-up



Finally, use the dispensing bottle and collection container to simulate additional material build-up, moisture, etc.

"Compensation of external material huild-up or wach-down "







DeviceNet/Profibus Demo Case

- Balluff part #
 - DEMO-KIT BNI DNT/PBS/BDN
- Balluff article #
 - **167664**









GlobalProx/GlobalEye Demo Case

- Balluff part #
 - DEMO-KIT BES GLOBALPROX/GLOBALEYE
- Balluff article #
 - **184607**









2-Wire DC Welding Sensors

- Balluff part #
 - DEMO-KIT BES 2W PTFE
- Balluff article #
 - **184484**










BTL 7 and BTL PF Low Profile Demo Case

- Balluff part #
 - DEMO-KIT BTL 6-7
- Balluff article #
 - 188185









Demo Tools







Demo Tools

- Build or upgrade your own demo cases
- Everything you need to get started!
 - Cases
 - Product
 - Transport
 - Carry Case
 - Clamping arm
 - Magnetic Base
 - Power Supply
 - Metal Targets



June 22, 2011

Demo Tools								
Description	Image	Detailed Description	Balluff Part Number	Balluff Article Number	Balluff List Price			
Extra Small Clear Plastic Case	•	8-7/8" x 4-1/8" x 1-3/16", 3 Compartments & 15 Removable Dividers (L x W): A= 8-7/8" x 1-3/8"	Case 9.25 X 5 X 1.35 -3	152300	\$ 1.75			
Small Clear Plastic Case		10-5/8" x 6-5/8 x 1-9/16", 6 Compartments, Black Mechanical Latches & 12 Removable Dividers (L x W): A= 1-13/16" x 6-5/8"	Case 11 X 7.25 X 1.75 -6	152299	\$ 3.00			
Medium Clear Plastic Case Large Clear		13-11/16" x 8-3/16" x 1-3/4", 4 Compartments, Black Mechanical Latches & 20 Removable Dividers (L x W): A= 13-11/16" x 2"	Case 14 X 8.87 X 2 -4	152298	\$ 4.00			
Plastic Case #2	B D C	15-1/4" x 8-7/8" x 3", 6 Compartments & 9 Removable Dividers (L x W): A= 15-1/4" x 4-1/4", B= 15-1/4" x 2- 1/8", C= 3-3/4" x 2-1/8", D= 3-3/4" x 1-1/2"	Case 15.75 X 9.75 X 3.25 -4	152295	\$ 6.00			
Large Clear Plastic Case # 1	A A B C C B	15-1/4" x 8-7/8" x 3", 7 Compartments & 9 Removable Dividers (L x W): A= 15-1/4" x 2-3/16", B= 3-1/2" x 2-3/16", C= 8-1/2" x 2-3/16"	Case 15.75 X 9.75 X 3.25 -3	152297	\$ 6.00			
Extra Dividers for Extra Small Case	147	For Case 9.25 X 5 X 1.35 -3	Case Divider 1.3 X 1.1 X 0.13	152288	\$ 0.60			
Extra Dividers for Small Case Extra Dividers		For Case 11 X 7.25 X 1.75 -6	Case Divider 1.7 X 1.6 X 0.14	152287	\$ 0.60			
for Medium Case Extra Dividers		For Case 14 X 8.87 X 2 -4	Case Divider 2.0 X 1.8 X 0.14	152285	\$ 0.60			
for Large Cases	-	For Case 15.75 X 9.75 X 3.25 -4 & Case 15.75 X 9.75 X 3.25 -3	Case Divider 2.2 X 3.0 X 0.2	152286	\$ 0.60			
Tripod Demo Clamp Arm	The	Tripod arm with adjustable clamp, spring loaded clamping adjustment, for testing applications	Tripod B0143 Magic Arm	152283	\$ 150.00			
Magnetic mounting base	0	Magnetic mounting base for use with Rod Straight L 328 Magnetic Base (Threaded BMS Rod)	Magnetic Base	152282	\$ 7.00			
24 Vdc Power Supply		Power Supply 120 Vac to 24 Vdc, 1.8A, for product demo's	Power Supply 24Vdc at 1.8A	152284	\$ 15.00			
Large Transport Case	5	Large Transport Case 24.81x19.37x13.87*, roller case (Pelican Case 1620)	Transport Case 24,81x19,37X13,87	152293	\$ 300.00			
Medium Transport Case		Medium Transport Case 22x14x9" roller case, FAA approved for airline Carry-on	Transport Case 22X14X9	152294	\$ 200.00			
Copper Target		Copper Target 2x2* for inductive sensors	Target 2X2 Copper	152289	\$ 3.50			
Brass Target		Brass Target 2x2" for inductive sensors	Target 2X2 Brass	152292	\$ 3.00			
Aluminum Target		Aluminum Target 2x2* for inductive sensors	Target 2X2 Aluminum	152291	\$ 2.00			
Steel Target		Steel Target 2x2" for inductive sensors	Target 2X2 Steel	152290	\$ 1.00			
Soft Side Carry Case	3	Soft Side Carry Case 22x9x12* for use with plastic cases	Carry Case 22x9x12	152705	\$ 180.00			
BMS Rod for Magnetic Base		Threaded BMS for use with magnetic base	Rod Straight L 328 Magnetic Base	152281	\$ 20.00			





Large Transportation Case

- Balluff part #
 - Transport Case 24,81x19,37X13,87
- Balluff article #
 - 152293
- DIMENSIONS:
 - INSIDE:
 - 22-1/16" x 17" x 12-9/16"
 - OUTSIDE:
 - 24-13/16" x 19-3/8" x 13-7/8"
 - LID DEPTH:
 - 2-1/16"
 - CASE DEPTH:
 - 10.5"
- Pick and pluck foam included
- Build your own demo case
- Very rugged







Soft Side Carry Case

Included with the Sensor Solutions Toolkit

- Balluff part #
 - Carry Case 22x9x12
- Balluff article #
 - -152705
- Great for daily use
- 2 side pockets for power supplies
- Very rugged
- Extra room for catalogs or other literature







Medium Transport Case

- Balluff part #
 - Transport Case 22X14X9
- Balluff article #
 - -152294
- FAA Carry On Approved for Airlines
- Build your own demo case
- Dimensions:
 - Outside
 - 22"L x 14"W x 9"D
 - Inside
 - 20.2"L x 11.4"W x 7.5"D
- Pick and pluck foam included







153878

Balluff Article Description **Detailed Description Balluff Part Number** Number Extra Small Clear 8-7/8" x 4-1/8" x 1-3/16", 3 Compartments & 15 Removable Dividers (L x W): Plastic Case A= 8-7/8" x 1-3/8" Case 9.25 X 5 X 1.35 -3 152300 **Small Clear Plastic** 10-5/8" x 6-5/8 x 1-9/16", 6 Compartments, Black Mechanical Latches & 12 Case Removable Dividers (L x W): A= 1-13/16" x 6-5/8" Case 11 X 7.25 X 1.75 -6 152299 Medium Clear 13-11/16" x 8-3/16" x 1-3/4", 4 Compartments, Black Mechanical Latches & 20 Removable Dividers (L x W): A= 13-11/16" x 2" Plastic Case Case 14 X 8.87 X 2 -4 152298 Large Clear Plastic 15-1/4" x 8-7/8" x 3", 6 Compartments & 9 Removable Dividers (L x W): A= 15-Case #2 1/4" x 4-1/4", B= 15-1/4" x 2-1/8", C= 3-3/4" x 2-1/8",D= 3-3/4" x 1-1/2" Case 15.75 X 9.75 X 3.25 -4 152295 Large Clear Plastic 15-1/4" x 8-7/8" x 3", 7 Compartments & 9 Removable Dividers (L x W): A= 15-Case #1 1/4" x 2-3/16", B= 3-1/2" x 2-3/16", C= 8-1/2" x 2-3/16" Case 15.75 X 9.75 X 3.25 -3 152297



Case 15.0 x 11.75 x 2.50

Tinted translucent lid, 9-24 compartments, includes 15 movable dividers, A= 2-1/8" x 3-1/8", B= 2-1/8" x 8-1/8", C= 2" x 3-1/8", D= 2" x 2", E= 1-1/2" x 8-1/8"

Rugged Medium

Plastic Case





Dividers for Plastic Cases

Description	Detailed Description	Balluff Part Number	Balluff Article Number
Extra Dividers for Extra Small Case	For Case 9.25 X 5 X 1.35 -3	Case Divider 1.3 X 1.1 X 0.13	152288
Extra Dividers for Small Case	For Case 11 X 7.25 X 1.75 -6	Case Divider 1.7 X 1.6 X 0.14	152287
Extra Dividers for Medium Case	For Case 14 X 8.87 X 2 -4	Case Divider 2.0 X 1.8 X 0.14	152285
Extra Dividers for Large Cases	For Case 15.75 X 9.75 X 3.25 -4 & Case 15.75 X 9.75 X 3.25 -3	Case Divider 2.2 X 3.0 X 0.2	152286



June 22, 2011





Tripod Demo Clamp Arm

Included with the Sensor Solutions Toolkit

- Balluff part #
 - Tripod B0143 Magic Arm
- Balluff article #
 - -152283
- Uses
 - Demo sensors
 - Helping hand
- Extra adjustable clamp for Tripod
 - Balluff part #
 - DEMO TRI-POD CLAMP B02915
 - Balluff Article # 154406
 - Uses
 - Clamp tripod to table or machine









Magnetic Mounting Base and Rod

- Magnetic mounting base
 - Balluff part #
 - Magnetic Base
 - Balluff Article # 152282
- Threaded BMS Rod for use with Magnetic Base
 - Balluff part #
 - Rod Straight L 328 Magnetic Base
 - Balluff Article # 152281
 - For use with BMS mounting system
 - Great for on site demo's





Included with the BMS Mounting System Sampler





Targets for Inductive Sensors

Description	Detailed Description	Balluff Part Number	Balluff Article Number
Copper Target	Copper Target 2x2" for inductive sensors	Target 2X2 Copper	152289
Brass Target	Brass Target 2x2" for inductive sensors	Target 2X2 Brass	152292
Aluminum Target	Aluminum Target 2x2" for inductive sensors	Target 2X2 Aluminum	152291
Steel Target	Steel Target 2x2" for inductive sensors	Target 2X2 Steel	152290

Included with the Sensor Solutions Toolkit



June 22, 2011





24 Vdc Power Supply with M12 Connector

- Balluff part #
 - PS-XA-1W-24-018-701-M43-01
- Balluff article #
 - 163685
- Specifications
 - 120 Vac to 24 Vdc @ 1.8A
- Uses
 - Product Demos



More Power!





High Power Sensor Tester

- Balluff part #
 - BES 516-5
- Balluff article #
 - 134815



Included with the Sensor Solutions Toolkit





Analog Tester and Programmer & Power Supply


Included with the Sensor Solutions Toolkit

- Analog Tester and Programmer
 - Balluff part #
 - BES 516-4B
 - Balluff Article # 316598

- Power Supply for use with BES 516-4B
 - Balluff part #
 - Z/POWER-SUPPLY-18VDC
 - Balluff Article # 316770









Still Have Questions?

Call Thurston Horton – 859-727-2200

